Author Index

	164	Boriani, S., see Picci, P. et al. Braunstein, E.M., Goldstein, S.A., Ku, J., Smith, P., Mat-	584 415
Abdelwahab, I.F., O'Leary, P.F., Steiner, G.C., Zwass, A.: Case report 357. Diagnosis: Chordoma of the fourth lumbar vertebra metastasizing to the thoracic spine and ribs	242	thews, L.S.: Computed tomography and plain radiography in experimental fracture healing Bright, R.W., see Young, J.W.R. et al. Brogdon, B.G., Arcement, L.J.: Case report 388. Diagno-	27 530
Abdelwahab, I.F., Present, D.A., Klein, M.J.: Case report 390. Diagnosis: Tuberculous pseudotumor of the prox- imal end of the right tibia without obvious synovial		sis: Transient paralysis of the left hemidiaphragm sec- ondary to blocking anesthesia of the intrascalene bra- chial plexus	503
involvement	652	Brown, K.T., Kattapuram, S.V., Rosenthal, D.I.: Computed tomography analysis of bone tumors: patterns of cortical destruction and soft tissue extension	448
infarct of bone	578	Brumback, R.J., see Young, J.W.R. et al	103
Abrahams, T.G., see Goldman, A.B.	308	Bucholz, R.W., see Sartoris, D.J. et al	642
Ackerman, L.V., see Mitchell, M.L.	213	Burgess, A.R., see Young, J.W.R. et al	103
Albisinni, U., see Merlini, L. et al	488	Calo, M., see Crisi, G. et al	247
Alford, B.A., Oshman, D.G., Sussman, M.D.: Radio-		Campanacci, M., see Picci, P. et al	415
graphic appearances following surgical correction of		Capanna, R., Van Horn, J.R., Ruggieri, P., Biagini, R.:	
the partially fused epiphyseal plate	146	Epiphyseal involvement in unicameral bone cysts	428
Apple, J.S., Martinez, S., Khoury, M.B., Nunley, J.A.: Case report 376. Diagnosis: Accessory (anomalous)		Capanna, R., Van Horn, J.R., Ayala, A., Picci, P., Bettelli, G.: Osteoid osteoma and osteoblastoma of the talus.	
soleus muscle	398	A report of 40 cases	360
Apple, J.S., Martinez, S., Khoury, M.B., Nunley, J.A.:		Carvalho, A. de, Jurik, A.G., Illum, F.: Case report 335.	
Occult carpal pathology: tomographic evaluation	228	Diagnosis: Idiopathic hypoparathyroidism (IHP)	52
Arcement, L.J., see Brogdon, B.G.	503	Castaldi, G., see Orzincolo, C. et al	541
Aronchick, J.M., see Epstein, D.M. et al	347	Castelli, C., see Pazzaglia, U.E. et al	474 665
Ash, C.J., Shealy, C.N., Young, P.A., Van Beaumont, W.: Thermography and the sensory dermatome	40	Chen, H., see Thickman, D. et al.	133
Axel, L., see Thickman, D. et al.	133	Chikama, H., see Ogata, K. et al.	141
Ayala, A., see Capanna, R. et al.		Chretien, J., see Laredo, JD. et al.	201
Baker, L.L., see Hajek, P.C. et al.	536	Cimmino, Ch., see Kerns, S. et al	605
Baker, N.D., Klein, M.J., Greenspan, A., Neuwirth, M.:		Clark, R.A., see Merhar, G.L. et al	549
Symptomatic vertebral hemangiomas: a report of four		Clouse, M.E., see Lee, S.M. et al	625
cases	458	Cockshott, W.P., see Nahmias, C. et al	198
Baldini, N., see Picci, P. et al	415	Cockshott, W.P., see Rooney, P.J	21
Balogh, K., see Lee, S.M. et al	625	Coe, J.D., see McAlister, W.H. et al.	47
Bard, M., see Laredo, JD. et al	201	Cohen, R.B., see Hall, F.M. et al.	401
Bariani, L., see Orzincolo, C. et al.	541	Coombs, R.J., Zeiss, J., McCann, K., Phillips, E.: Case	
Bassett, L.W., see Gold, R.H	663	report 360. Diagnosis: Multifocal Ewing tumor of the skeletal system	254
Belbeck, L.W., see Nahmias, C. et al.		Cremin, B.J., Ross, J.L.: Case report 386. Diagnosis:	254
Beluffi, G., see Pazzaglia, U.E. et al	474	Thanatophoric dysplasia (TD)	495
Benazzo, F., see Pazzaglia, U.E. et al	474	Crisi, G., Calo, M., Mauri, C.: Case report 358. Diagno-	
Berlin, Ö., Stener, B., Lindahl, S., Irstam, L., Lodding,		sis: Desmoid tumor of the greater wing of the right	
P.: Vascularization of peripheral neurilemomas: an-		sphenoid bone	247
giographic, computed tomographic, and histologic studies		Currarino, G., Williams, B., Reisch, J.S.: Linear growth of the thoracic spine in chest roentgenograms from	
Bertoni, F., see Present, D.A. et al	236	birth to 16 years	628
Bettelli, G., see Capanna, R. et al		Cyrlak, D., Pais, M.J.: Chronic recurrent multifocal os-	22
Biagini, R., see Capanna, R. et al		Daffner, R.H., Deeb, Z.L., Rothfus, W.E.: "Finger-	32
Blair, W.F., see El-Khoury, G.Y. et al	536	prints" of vertebral trauma – a unifying concept based	
Blakley, J.B., see Tabas, J.H. et al.	499	on mechanisms	518
Blane, C.E., see Ho, A.M.W. et al	224	Daffner, R.H., Deeb, Z.L., Rothfus, W.E.: Pseudofrac-	
Bloom, R.A., Libson, E., Lax, E., Pogrund, H.: The assi-		tures of the cervical vertebral body	295
milated os sustentaculi	455	Daffner, R.H., Riemer, B.L., Lupetin, A.R., Dash, N.:	
Bohndorf, K., Reiser, M., Lochner, B., Féaux de Lacroix,		Magnetic resonance imaging in acute tendon ruptures	619
W., Steinbrich, W.: Magnetic resonance imaging of		Daffner, R.H., see Sharma, P.	505
primary tumours and tumourlike lesions of bone		Daffner, R.H., see Tabas, J.H. et al	499
Bohrer, S.P.: The annulus vacuum sign	233	Dalinka, M.K., see Epstein, D.M. et al.	347
Bohrer, S.P., see Wiggins, T	409 474	Dalinka, M., see Glickstein, M. et al	610 133
Boldt, D.W., see De Campo, J.F.	526	Dash, N., see Daffner, R.H. et al.	

Author Index

	164	Boriani, S., see Picci, P. et al. Braunstein, E.M., Goldstein, S.A., Ku, J., Smith, P., Mat-	584 415
Abdelwahab, I.F., O'Leary, P.F., Steiner, G.C., Zwass, A.: Case report 357. Diagnosis: Chordoma of the fourth lumbar vertebra metastasizing to the thoracic spine and ribs	242	thews, L.S.: Computed tomography and plain radiography in experimental fracture healing Bright, R.W., see Young, J.W.R. et al. Brogdon, B.G., Arcement, L.J.: Case report 388. Diagno-	27 530
Abdelwahab, I.F., Present, D.A., Klein, M.J.: Case report 390. Diagnosis: Tuberculous pseudotumor of the prox- imal end of the right tibia without obvious synovial		sis: Transient paralysis of the left hemidiaphragm sec- ondary to blocking anesthesia of the intrascalene bra- chial plexus	503
involvement	652	Brown, K.T., Kattapuram, S.V., Rosenthal, D.I.: Computed tomography analysis of bone tumors: patterns of cortical destruction and soft tissue extension	448
infarct of bone	578	Brumback, R.J., see Young, J.W.R. et al	103
Abrahams, T.G., see Goldman, A.B.	308	Bucholz, R.W., see Sartoris, D.J. et al	642
Ackerman, L.V., see Mitchell, M.L.	213	Burgess, A.R., see Young, J.W.R. et al	103
Albisinni, U., see Merlini, L. et al	488	Calo, M., see Crisi, G. et al	247
Alford, B.A., Oshman, D.G., Sussman, M.D.: Radio-		Campanacci, M., see Picci, P. et al	415
graphic appearances following surgical correction of		Capanna, R., Van Horn, J.R., Ruggieri, P., Biagini, R.:	
the partially fused epiphyseal plate	146	Epiphyseal involvement in unicameral bone cysts	428
Apple, J.S., Martinez, S., Khoury, M.B., Nunley, J.A.: Case report 376. Diagnosis: Accessory (anomalous)		Capanna, R., Van Horn, J.R., Ayala, A., Picci, P., Bettelli, G.: Osteoid osteoma and osteoblastoma of the talus.	
soleus muscle	398	A report of 40 cases	360
Apple, J.S., Martinez, S., Khoury, M.B., Nunley, J.A.:		Carvalho, A. de, Jurik, A.G., Illum, F.: Case report 335.	
Occult carpal pathology: tomographic evaluation	228	Diagnosis: Idiopathic hypoparathyroidism (IHP)	52
Arcement, L.J., see Brogdon, B.G.	503	Castaldi, G., see Orzincolo, C. et al	541
Aronchick, J.M., see Epstein, D.M. et al	347	Castelli, C., see Pazzaglia, U.E. et al	474 665
Ash, C.J., Shealy, C.N., Young, P.A., Van Beaumont, W.: Thermography and the sensory dermatome	40	Chen, H., see Thickman, D. et al.	133
Axel, L., see Thickman, D. et al.	133	Chikama, H., see Ogata, K. et al.	141
Ayala, A., see Capanna, R. et al.		Chretien, J., see Laredo, JD. et al.	201
Baker, L.L., see Hajek, P.C. et al.	536	Cimmino, Ch., see Kerns, S. et al	605
Baker, N.D., Klein, M.J., Greenspan, A., Neuwirth, M.:		Clark, R.A., see Merhar, G.L. et al	549
Symptomatic vertebral hemangiomas: a report of four		Clouse, M.E., see Lee, S.M. et al	625
cases	458	Cockshott, W.P., see Nahmias, C. et al	198
Baldini, N., see Picci, P. et al	415	Cockshott, W.P., see Rooney, P.J.	21
Balogh, K., see Lee, S.M. et al	625	Coe, J.D., see McAlister, W.H. et al.	47
Bard, M., see Laredo, JD. et al	201	Cohen, R.B., see Hall, F.M. et al.	401
Bariani, L., see Orzincolo, C. et al.	541	Coombs, R.J., Zeiss, J., McCann, K., Phillips, E.: Case	
Bassett, L.W., see Gold, R.H	663	report 360. Diagnosis: Multifocal Ewing tumor of the skeletal system	254
Belbeck, L.W., see Nahmias, C. et al.		Cremin, B.J., Ross, J.L.: Case report 386. Diagnosis:	254
Beluffi, G., see Pazzaglia, U.E. et al	474	Thanatophoric dysplasia (TD)	495
Benazzo, F., see Pazzaglia, U.E. et al	474	Crisi, G., Calo, M., Mauri, C.: Case report 358. Diagno-	
Berlin, Ö., Stener, B., Lindahl, S., Irstam, L., Lodding,		sis: Desmoid tumor of the greater wing of the right	
P.: Vascularization of peripheral neurilemomas: an-		sphenoid bone	247
giographic, computed tomographic, and histologic studies		Currarino, G., Williams, B., Reisch, J.S.: Linear growth of the thoracic spine in chest roentgenograms from	
Bertoni, F., see Present, D.A. et al	236	birth to 16 years	628
Bettelli, G., see Capanna, R. et al		Cyrlak, D., Pais, M.J.: Chronic recurrent multifocal os-	22
Biagini, R., see Capanna, R. et al		Daffner, R.H., Deeb, Z.L., Rothfus, W.E.: "Finger-	32
Blair, W.F., see El-Khoury, G.Y. et al	536	prints" of vertebral trauma – a unifying concept based	
Blakley, J.B., see Tabas, J.H. et al.	499	on mechanisms	518
Blane, C.E., see Ho, A.M.W. et al	224	Daffner, R.H., Deeb, Z.L., Rothfus, W.E.: Pseudofrac-	
Bloom, R.A., Libson, E., Lax, E., Pogrund, H.: The assi-		tures of the cervical vertebral body	295
milated os sustentaculi	455	Daffner, R.H., Riemer, B.L., Lupetin, A.R., Dash, N.:	
Bohndorf, K., Reiser, M., Lochner, B., Féaux de Lacroix,		Magnetic resonance imaging in acute tendon ruptures	619
W., Steinbrich, W.: Magnetic resonance imaging of		Daffner, R.H., see Sharma, P.	505
primary tumours and tumourlike lesions of bone		Daffner, R.H., see Tabas, J.H. et al	499
Bohrer, S.P.: The annulus vacuum sign	233	Dalinka, M.K., see Epstein, D.M. et al.	347
Bohrer, S.P., see Wiggins, T	409 474	Dalinka, M., see Glickstein, M. et al	610 133
Boldt, D.W., see De Campo, J.F.	526	Dash, N., see Daffner, R.H. et al.	

Jurik, A.G., Møller, B.N.: Inflammatory hyperostosis and		Lawson, J.P., Liu, YM.: Pinemoth caterpillar disease	422
	284		209
Jurik, A.G., see Carvalho, A. de et al	52	Lax, E., see Bloom, R.A. et al.	455
Kadoya, H., see Ohno, T. et al	478	Lax, E., see Milgrom, C. et al	150
Kahn, MF., see Laredo, JD. et al	201	Lechner, G., see Kumpan, W. et al	96
	323	Lederman, H.M., Kaufman, R.A.: Congenital absence	
Kanter, A.S., see Richardson, M.L. et al	85	and hypoplasia of pedicles in the thoracic spine	219
Kaplan, F.S., see Epstein, D.M. et al.	347	Lee, C., Woodring, J.H., Rogers, L.F., Kim, K.S.: The	417
Kaplan, L., see Milgrom, C. et al.		radiographic distinction of degenerative slippage	
Kaplan, P.A., Phalen, J., Macke, R.: Case report 372.	150	(spondylolisthesis and retrolisthesis) from traumatic	
			420
Diagnosis: Bronchial carcinoid metastatic to bone,	202	slippage of the cervical spine	
specifically involving the left femur	383	Lee, R.G.L., see Lee, S.M. et al.	625
Karasick, D., see Sullivan, K.L	593	Lee, S.M., Lee, R.G.L., Wilinsky, J., Balogh, K., Clouse,	
Kasambalides, E., see Shpall, E.J. et al	170	M.E.: Magnification radiography in osteomyelitis	625
Kattapuram, S.V., see Brown, K.T. et al	448	Lewis, A.J., see Howard, B.A. et al	468
Kaufman, H., see Edelman, R.R. et al	160	Lian, ZC., Wu, EH.: Osteoporosis – an early radio-	
Kaufman, R.A., see Lederman, H.M	219	graphic sign of endemic fluorosis	350
Kaufmann, H.J., see Langer, R	377	Libson, E., see Bloom, R.A. et al	455
Keats, Th.E., see Joyce, J.M	129	Lindahl, S., see Berlin, Ö. et al	275
Keats, Th.E., see Kerns, S. et al	605	Lingg, G., see Herrera, A. et al	
Keats, Th.E., see Phillips, C.D	631	Liu, YM., see Lawson, J.P.	
Keats, Th.E., see Pope, T.L. Jr. et al.	327	Lochner, B., see Bohndorf, K. et al	
Kerkhoff, H., see Raymakers, J.A. et al			
Kerns, S., Pope, Th.L. Jr., Lange, E.E. de, Fechner, R.E.,	171	Loevinger, E., Schabel, S.I., Davis, C.S., Ross, P.: Case	213
Keats, Th.E., Cimmino, Ch.: Annulus fibrosus calcifi-		report 385. Diagnosis: "Horned crests": Pseudo-Fong	
			402
cation in the cervical spine: radiologic - pathologic	105	syndrome	
correlation	605	Lupetin, A.R., see Daffner, R.H. et al	619
Khoury, M.B., see Apple, J.S. et al.	228	Lysko, J.E., Guilford, W.B., Siegal, G.P.: Case report 362.	
Khoury, M.B., see Apple, J.S. et al	398	Diagnosis: Primary fibrosarcoma of the right femur	
Kijima, M., see Ohno, T. et al.	478	Macke, R., see Kaplan, P.A. et al	383
Kim, K.S., see Lee, C. et al	439	Madewell, J.E., see Kumar, R. et al	553
Klein, M.J., see Abdelwahab, I.F. et al	164	Maegaard, K.K., see Rodenberg, J.C. et al	334
Klein, M.J., see Abdelwahab, I.F. et al	652	Maldague, B., see Malghem, J	368
Klein, M.J., see Baker, N.D. et al	458	Malghem, J., Maldague, B.: Transient fatty cortical de-	
Kling, T.F. Jr., see Ho, A.M.W. et al	224	fects following fractures in children	368
Kolb, F.O., see Richardson, M.L. et al	85	Malvitz, T.A., see El-Khoury, G.Y. et al	
Kolodny, G.M., see Edelman, R.R. et al	160	Manaster, B.J., see Datz, F.L.	566
Kotz, R., see Kumpan, W. et al	96	Manaster, B.J., see Vries, N. de et al.	658
Kouwenberg, J.J., Simons, A.J.: Case report 383. Diagno-	, ,	Mansouri, B., see Schnyder, P. et al.	372
sis: Multiple myeloma	484	Margulies, J.Y., see Nyska, M. et al.	663
Kressel, H.Y., see Thickman, D. et al.	133	Marinelli, D.L., see Epstein, D.M. et al.	347
Kricun, M., see Glickstein, M. et al	610	Martin, I.R., see Smith, J.R.G. et al	599
Ku, J., see Braunstein, E.M. et al	27	Martinez, S., see Apple, J.S. et al	228
Kuhajda, F.P., see Owen, R.S. et al	69	Martinez, S., see Apple, J.S. et al.	398
Kumar, R., Swischuk, L.E., Madewell, J.E.: Benign corti-		Matthews, L.S., see Braunstein, E.M. et al	27
cal defect: site for an avulsion fracture	553	Mauri, C., see Crisi, G. et al	247
Kumpan, W., Lechner, G., Wittich, G.R., Salzer-Kunt-		McAlister, W.H., Coe, J.D., Whyte, M.P.: Macroepiphy-	
schik, M., Delling, G., Kotz, R., Hajek, P., Sekera,		seal dysplasia with symptomatic osteoporosis,	
J.: The angiographic response of osteosarcoma follow-		wrinkled skin, and aged appearance: a presumed au-	
ing pre-operative chemotherapy	96	tosomal recessive condition	47
Kumpan, W., Salomonowitz, E., Seidl, G., Wittich, G.R.:		McCann, K., see Coombs, R.J. et al	254
The intravertebral vacuum phenomenon	444	McGuire, M.H., see Sundaram, M. et al	110
Kundel, H.L., see Epstein, D.M. et al	347	McGuire, M.H., see Sundaram, M. et al	338
Kyriakos, M., see Sotelo-Avila, C. et al	387	McKeel, D., see Monsees, B. et al.	154
Laan, J.G. van der, Thijn, C.J.P.: Ivory and dense epi-	507	Meema, H.E., Oreopoulos, D.G., Murray, T.M.: Perioste-	
	117	al resorption and periosteal neostosis: comparison of	
physes of the hand: Thiemann disease in three sisters	117	normal subjects and renal failure patients on chronic	
Lagier, R.: Case report 354. Diagnosis: Chondroma of	450		
soft tissues with dystrophic calcification		ambulatory peritoneal dialysis using MOP-3 image	
Laney, W.H., see Retrum, R.K. et al		analysis system and a grading method	14
Lang, W., see Freyschmidt, J. et al		Merhar, G.L., Clark, R.A., Schneider, H.J., Stern, P.J.:	
Lange, E.E. de, see Kerns, S. et al	605	High-resolution computed tomography of the wrist in	
Langer, R., Kaufmann, H.J.: Case report 363. Diagnosis:		patients with carpal tunnel syndrome	549
Infantile cortical hyperostosis (Caffey disease ICH)		Merlini, L., Albisinni, U., Savini, R.: Case report 384.	
iliac bones, femora, tibiae and left fibula	377	Diagnosis: Paraparesis from cauda equina compres-	
Laredo, JD., Bard, M., Chretien, J., Kahn, MF.: Lum-		sion due to disc herniation of L4-L5, in a patient with	
bar posterior marginal intra-osseous cartilaginous		ossification of the posterior ligament (OPLL) at L4-L5	
node	201	and C4-C5	488

Mesgarzadeh, M., Bonakdarpour, A., Redecki, P.D.:		Pais, M.J., see Cyrlak, D	32
Case report 395. Diagnosis: Hematogenous actino-			354
myces osteomyelitis (calcaneus)	584		478
Milgram, J.W., Jasty, M.: Case report 361. Diagnosis:		Pazzaglia, U.E., Benazzo, F., Castelli, C., Boiocchi, M.,	
Radium intoxication with radium-induced osteonecro-		Beluffi, G.: Case report 381. Diagnosis: Membranous	
sis	258		474
Milgrom, C., Kaplan, L., Lax, E.: Case report 341. Diag-		Perri, G., Tripi, D.: Case report 393. Diagnosis: Extraske-	
nosis: Os accessorium supracalcaneum of the left hind			575
foot (also present, but to a lesser extent, on the right)	150	Phalen, J., see Kaplan, P.A. et al	383
Mirra, J.M., Kameda, N.: Case report 366. Diagnosis:		Phillips, C.D., Keats, Th.E.: The development of post-	
Myxoid angioblastomatosis of bone (disseminated)	323		631
Mitchell, M.L., Ackerman, L.V.: Metastatic and pseudo-		Phillips, E., see Coombs, R.J. et al	254
malignant osteoblastoma: a report of two unusual	040	Picci, P., Baldini, N., Sudanese, A., Boriani, S., Campan-	
cases	213	acci, M.: Giant cell reparative granuloma and other	44.5
Møller, B.N., see Jurik, A.G.	284	giant cell lesions of the bones of the hands and feet	415
Monsees, B., Destouet, J.M., Totty, W.G., McKeel, D.:		Picci, P., see Capanna, R. et al.	360
Case report 349. Diagnosis: "Leukemic arthritis" of		Pierattelli, M., see Vichi, G.F. et al	665
elbow (leukemic infiltration and infarction distal end	154	Pinca, A., see Orzincolo, C. et al	541
of humerus)	635	Pinnapureddy, P.R., see Vigorita, V.J. et al.	680
Mooney, V., see Sartoris, D.J. et al	433	Pogrund, H., see Bloom, R.A. et al	455 103
Murphy, M.J., see Ogden, J.A. et al	556	Pope, Th.L. Jr., see Kerns, S. et al.	605
Murray, T.M., see Meema, H.E. et al	14	Pope, T.L. Jr., Fechner, R.E., Keats, Th.E.: Case report	003
Nahmias, C., Cockshott, W.P., Belbeck, L.W., Garnett,	14	367. Diagnosis: Hemangioma of the nasal bone	327
E.S.: Measurement of absolute bone flood flow by		Pozzi-Mucelli, R.S., see Richardson, M.L. et al	85
positron emission tomography	198	Prein, J., see Remagen, W. et al.	251
Neumann, C.H., see Hajek, P.C. et al	536	Present, D.A., Bertoni, F., Enneking, W.F.: Case report	201
Neustadter, L., see Glickstein, M. et al	610	348. Diagnosis: Pigmented villonodular synovitis aris-	
Neuwirth, M., see Baker, N.D. et al	458	ing from bursa of the pes anserinus muscle, with sec-	
Nidecker, A., see Remagen, W. et al.	251	ondary involvement of the tibia	236
Nidecker, A., see Remagen, W. et al	330	Present, D.A., see Abdelwahab, I.F. et al	652
Niell, H.B., see Sebes, J.I. et al	354	Putten, J. van, see Raymakers, J.A. et al	191
Norman, A., see Greenspan, A. et al	452	Radecki, P.D., see Hilpert, P.L. et al	570
Nunley, J.A., see Apple, J.S. et al	228	Raymakers, J.A., Hoekstra, O., Putten, J. van, Kerkhoff,	
Nunley, J.A., see Apple, J.S. et al	398	H., Duursma, S.A.: Fracture prevalence and bone	
Nyska, M., Margulies, J.Y., Gomori, J.M., Beauvoir, G.:		mineral mass in osteoporosis measured with computed	
Case report 400. Diagnosis: Unilateral fusion of odon-		tomography and dual energy photon absorptiometry	191
toid to lateral mass of C1 with pseudoarthrosis on		Redecki, P.D., see Mesgarzadeh, M. et al	584
left	663	Redlund-Johnell, I.: The costoclavicular joint	25
Odita, J.C., Okolo, A.A., Omene, J.A.: Bone cortical mass		Rees, C.R., Siddiqui, A.R., duCret, R.: The role of bone	
in newborn infants: a comparison between standards		scintigraphy in osteogenic sarcoma	365
in the femur and humerus	648	Reidy, T.J., see Sebes, J.I. et al	354
Ogata, K., Sugioka, Y., Urano, Y., Chikama, H.: Idio-		Reisch, J.S., see Currarino, G. et al	628
pathic osteonecrosis of the first metatarsal sesamoid		Reiser, M., see Bohndorf, K. et al	511
Ogden, D.A., see Ogden, J.A. et al.	433	Remagen, W., Nidecker, A., Dolanc, B.: Case report 368.	
Ogden, J.A., Murphy, M.J., Southwick, W.O., Ogden,		Diagnosis: Enchondroma of the tibia with extensive	
D.A.: Radiology of postnatal skeletal development.	400	myxoid degeneration; recurrence with secondary and	
XIII. C1-C2 interrelationships	433	malignant transformation to highly differentiated	220
Ohno, T., Kadoya, H., Park, P., Yamanashi, M., Waka-		chondrosarcoma	330
yama, K., Ihtsubo, K., Tateishi, A., Kijima, M.: Case		Remagen, W., Nidecker, A., Prein, J.: Case report 359.	
report 382. Diagnosis: Benign chondroblastoma of ta-	470	Diagnosis: Gigantic benign fibrous histiocytoma (non-	251
lus invading calcaneus		ossifying fibroma)	
Okolo, A.A., see Odita, J.C. et al		Resnick, D., see Dowd, C.F. et al	65
Olen, D.W., see Retrum, R.K. et al.		Resnick, D., see Hajek, P.C. et al	
Omene, J.A., see Odita, J.C. et al.		Resnick, D., see Sartoris, D.J. et al	642
Oreopoulos, D.G., see Meema, H.E. et al.	14	Resnik, C.S., Steffe, J.W., Wang, S.E.: Case report 353.	042
Orzincolo, C., Castaldi, G., Scutellari, P.N., Bariani, L.,	1.4	Diagnosis: Giant cell tumor of distal end of the femur,	
Pinca, A.: Aseptic necrosis of femoral head complicat-		containing a fluid level as demonstrated by computed	
ing thalassemia	541	tomography	175
Orzincolo, C., see Scutellari, P.N. et al		Retrum, R.K., Wepfer, J.F., Olen, D.W., Laney, W.H.:	110
Oshman, D.G., see Alford, B.A. et al		Case report 355. Diagnosis: Delayed closure of the	
Ostertag, H., see Freyschmidt, J. et al		right olecranon epiphysis in a right-handed, tourna-	
Owen, R.S., Fishman, E.K., Healy, W.L., Kuhajda, F.P.,		ment-class tennis player (post-traumatic)	185
Siegelman, S.S.: Case report 345. Diagnosis: Schwan-		Richardson, M.L., Pozzi-Mucelli, R.S., Kanter, A.S.,	
noma of wrist	69	Kolb, F.O., Ettinger, B., Genant, H.K.: Bone mineral	
Ozonoff, M.B., see De Orchis, D	464	changes in primary hyperparathyroidism	85

Riemer, B.L., see Daffner, R.H. et al		Shields, J.B., see Sundaram, M. et al	110
Rijssel, Th.G. van, see Taconis, W.K	10	Shih, H., see Schultz, E. et al	560
Robinson, R.O., see Smith, J.R.G. et al	599	Shpall, E.J., Efremidis, A.P., Kasambalides, E., Sedlin,	
Rodenberg, J.C., Maegaard, K.K., Svanholm, H.: Case		E., Hermann, G.: Case report 352. Diagnosis: Osteo-	
report 369. Diagnosis: Systemic mastocytosis	334	necrosis of the femoral shaft (probably steroid-in-	
Rogers, L.F., see Lee, C. et al	439	duced)	170
Rooney, P.J., Cockshott, W.P.: Pseudarthrosis following	107	Siddiqui, A.R., see Rees, C.R. et al.	365
proximal humeral fractures: a possible mechanism	21		
	448	Siegal, G.P., see Lysko, J.E. et al.	268
Rosenthal, D.I., see Brown, K.T. et al		Siegelman, S.S., see Owen, R.S. et al.	69
Ross, J.L., see Cremin, B.J.	495	Sim, F.H., see Frassica, F.J. et al.	77
Ross, P., see Loevinger, E. et al.	492	Simons, A.J., see Kouwenberg, J.J.	484
Rossner, A., see Herrera, A. et al	672	Smith, J.R.G., Martin, I.R., Shaw, D.G., Robinson, R.O.:	
Rothfus, W.E., see Daffner, R.H. et al	295	Progressive non-infectious anterior vertebral fusion	599
Rothfus, W.E., see Daffner, R.H. et al	518	Smith, P., see Braunstein, E.M. et al	27
Rothman, R.H., see Garfin, S.R	72	Smoker, W.R.K., see El-Khoury, G.Y. et al	313
Rubenstein, J.D., see Howard, B.A. et al	468	Sotelo, A., see Greenspan, A. et al	452
Ruggieri, P., see Capanna, R. et al	428	Sotelo, D., see Greenspan, A. et al	452
Salomonowitz, E., see Kumpan, W. et al	444	Sotelo-Avila, C., Sundaram, M., Kyriakos, M., Graviss,	
Salzer-Kuntschik, M., see Kumpan, W. et al	96	E.R., Tayob, A.A.: Case report 373. Diagnosis: Dia-	
Santos, L.A. de, see Dominguez, R	622	metaphyseal chondroblastoma of the upper portion of	
Sartoris, D.J., Jones, H.: Case report 343. Diagnosis:		the left femur	387
Neurofibroma arising in sympathetic ganglion with		Sotelo-Ortiz, F., see Greenspan, A. et al	
probable associated spinal neuroarthopathy (presump-		Southwick, W.O., see Ogden, J.A. et al.	
	60		
tive diagnosis)	60	Steffe, J.W., see Resnik, C.S. et al.	175
Sartoris, D.J., Holmes, R.E., Bucholz, R.W., Resnick, D.:		Stein, E.: Case report 374. Diagnosis: Post-traumatic	201
Coralline hydroxyapatite bone graft substitutes in a		pseudoaneurysm of axillary artery	
canine diaphyseal defect model: radiographic features		Steinberg, M., see Thickman, D. et al	
of failed and successful union	642	Steinbrich, W., see Bohndorf, K. et al	511
Sartoris, D.J., Holmes, R.E., Tencer, A.F., Mooney, V.,		Steiner, G.C., see Abdelwahab, I.F. et al	242
Resnick, D.: Coralline hydroxyapatite bone graft sub-		Steiner, G., see Greenspan, A. et al	452
stitutes in a canine metaphyseal defect model: radio-		Stener, B., see Berlin, Ö. et al.	275
graphic-biomechanical correlation	635	Stern, P.J., see Merhar, G.L. et al	549
Sartoris, D.J., see Dowd, C.F. et al	65	Strottmann, M.P., see El-Khoury, G.Y. et al	313
Sartoris, D.J., see Hajek, P.C. et al	536	Sudanese, A., see Picci, P. et al	
Savini, R., see Merlini, L. et al	488	Sugioka, Y., see Ogata, K. et al.	
Schabel, S.I., see Loevinger, E. et al	492	Sullivan, K.L., Karasick, D.: Case report 397. Diagnosis:	
Schilling, J.F., Wechsler, R.J.: Computed tomographic	172	Fracture of the hamate in its coronal plane and dislo-	
anatomy of the buttock	613	cation of the hamate-triquetrum	593
	013		373
Schlesinger, A.E., Glass, R.B.J., Young, S., Fernbach,		Sundaram, M., Herbold, D.R., McGuire, M.H.: Case re-	
S.K.: Case report 342. Diagnosis: Eosinophilic granu-	67	port 370. Diagnosis: Low grade (well-differentiated)	220
loma of the right iliac wing	57	intramedullary osteosarcoma	330
Schneider, H.J., see Merhar, G.L. et al	549	Sundaram, M., McGuire, M.H., Fletcher, J., Wolverson,	
Schnyder, P., Fankhauser, H., Mansouri, B.: Computed		M.K., Heiberg, E., Shields, J.B.: Magnetic resonance	
tomography in spinal hemangioma with cord compres-		imaging of lesions of synovial origin	
sion. Report of two cases	372	Sundaram, M., see Sotelo-Avila, C. et al	387
Schultz, E., Greenspan, A.: Case report 378. Diagnosis:		Sussman, M.D., see Alford, B.A. et al	146
Simple bone cyst (traumatized)	405	Svanholm, H., see Rodenberg, J.C. et al	334
Schultz, E., Hermann, G., Irwin, G.A.L., Shih, H.: Case		Swischuk, L.E., see Kumar, R. et al	553
report 380. Diagnosis: Desmoplastic fibroma of the		Tabas, J.H., Daffner, R.H., Hartsock, R.J., Blakley, J.B.:	
mandible	560	Case report 387. Diagnosis: Gaucher disease affecting	
Sclafani, S., see Vigorita, V.J. et al	680	the skeleton (left femur)	499
Scutellari, P.N., Orzincolo, C., Trotta, F.: Case report		Taconis, W.K., Rijssel, Th.G. van: Fibrosarcoma of the	
375. Diagnosis: Multicentric reticulohistiocytosis	394	jaws	
Scutellari, P.N., see Orzincolo, C. et al		Tateishi, A., see Ohno, T. et al.	
Sebes, J.I., Niell, H.B., Palmieri, G.M.A., Reidy, T.J.:	541	Taylor, C.R., Lawson, J.P.: Periostitis and osteomyelitis	170
			209
Skeletal surveys in multiple myeloma. Radiologic-clini-	254	in chronic drug addicts	
cal correlation	354	Tayob, A.A., see Sotelo-Avila, C. et al.	387
Sedlin, E., see Shpall, E.J. et al		Tencer, A.F., see Sartoris, D.J. et al	635
Seidl, G., see Kumpan, W. et al	444	Thickman, D., Axel, L., Kressel, H.Y., Steinberg, M.,	
Sekera, J., see Kumpan, W. et al	96	Chen, H., Velchick, M., Fallon, M., Dalinka, M.:	
Sepic, S.B., see Gore, D.R. et al		Magnetic resonance imaging of avascular necrosis of	
Shaber, G., see Edeiken, J		the femoral head	133
Sharma, P., Daffner, R.H.: Case report 389. Diagnosis:		Thijn, C.J.P., see Laan, J.G. van der	117
Idiopathic, anterolateral dislocation of the fibula at		Totty, W.G., see Monsees, B. et al	154
the proximal tibiofibular joint	505	Tripi, D., see Perri, G	575
Shaw, D.G., see Smith, J.R.G. et al	599	Trotta, F., see Scutellari, P.N. et al	
Shealy, C.N., see Ash, C.J. et al		Unni, K.K., see Frassica, F.J. et al	

Urano, Y., see Ogata, K. et al.		Whyte, M.P., see McAlister, W.H. et al	47
Urbanitz, D., see Herrera, A. et al	672	Wiggins, T., Bohrer, S.P.: Case report 379. Diagnosis:	
Van Beaumont, W., see Ash, C.J. et al	40	"Ulcer osteoma" associated with sickle cell disease	409
Van Horn, J.R., see Capanna, R. et al	360	Wilinsky, J., see Lee, S.M. et al	625
Van Horn, J., see Capanna, R. et al	428	Williams, B., see Currarino, G. et al	628
Velchick, M., see Thickman, D. et al	133	Wittich, G.R., see Kumpan, W. et al	96
Vichi, G.F., Falcini, F., Pierattelli, M., Jenuso, R., Ceruso,		Wittich, G.R., see Kumpan, W. et al	444
M.: Case report 401. Diagnosis: Idiopathic carpal/tar-		Wolverson, M.K., see Sundaram, M. et al	
sal osteolysis (ICTO) associated with nephropathy	665	Woodring, J.H., see Lee, C. et al	439
Vigorita, V.J., Vitale, A., Sclafani, S., Pinnapureddy,		Wu, EH., see Lian, ZC.	350
P.R.: Case report 403. Diagnosis: Extra-mammary Pa-		Yamanashi, M., see Ohno, T. et al	478
get disease of the skin with disseminated skeletal me-		Yeh, HC., see Hermann, G. et al	123
tastases	680	Young, J.W.R., Bright, R.W., Whitley, N.O.: Computed	
Vitale, A., see Vigorita, V.J. et al	680	tomography in the evaluation of partial growth plate	
Vries, N. de, Datz, F.L., Manaster, B.J.: Case report 399.		arrest in children	530
Diagnosis: Pachydermoperiostosis (Primary hyper-		Young, J.W.R., Burgess, A.R., Brumback, R.J., Poka, A.:	
trophic osteoarthropathy)	658	Lateral compression fractures of the pelvis: the impor-	
Wakayama, K., see Ohno, T. et al	478	tance of plain radiographs in the diagnosis and surgical	
Wang, S.E., see Resnik, C.S. et al	175	management	103
Watt, I.: Skeletal quiz	299	Young, P.A., see Ash, C.J. et al	40
Wechsler, R.J., see Schilling, J.F	613	Young, S., see Schlesinger, A.E. et al	57
Wepfer, J.F., see Retrum, R.K. et al.	185	Zeiss, J., see Coombs, R.J. et al	254
Whitley, N.O., see Young, J.W.R. et al	530	Zwass, A., see Abdelwahab, I.F. et al	242
Sub	oject	Index	

racic spine	219	report)	391
Absorptiometry, dual energy photon, and computed to-		"Arthritis, leukemic" of elbow (leukemic infiltration and	
mography, fracture prevalence and bone mineral mass		infarction distal end of humerus) (case report)	154
in osteoporosis measured with	191	Arthrography of the ankle joint in chronic instability	291
Actinomyces osteomyelitis, hematogenous (calcaneus)		Arthrography, the role of, in the management of dysplasia	
(case report)	584	epiphysealis hemimelica	224
Addicts, chronic drug, osteomyelitis and periostitis of	209	Aseptic necrosis of femoral head complicating thalassemia	541
Aggressive osteoblastoma of the third lumbar vertebra		Assimilated os sustentaculi	455
(case report)	164	Atlanto-axial dislocation, tuberculous spondylitis resul-	
Alveolar soft parts sarcoma (brain and thigh) (Open-quiz		ting in (case report)	65
solution, case report)	468	Autosomal recessive condition, a presumed: macroepiphy-	
Anatomy, normal: high-resolution magnetic resonance		seal dysplasia with symptomatic osteoporosis, wrin-	
imaging of the ankle	536	kled skin, and aged appearance	47
Anatomy of the buttock, computed tomography	613	Avascular necrosis of the femoral head, magnetic reso-	
Anesthesia, blocking, of the intrascalene brachial plexus,		nance imaging of	133
transient paralysis of the left hemidiaphragm secon-		Avulsion fracture, site for an: benign cortical defect	553
dary to (case report)	503	Axillary artery, post-traumatic pseudoaneurysm of (case	
Angioblastomatosis, myxoid, of bone (disseminated) (case		report)	391
report)	323	Benign chondroblastoma of talus invading calcaneus (case	
Angiographic, computed tomographic, and histologic stu-		report)	
dies: vascularization of peripheral neurilemomas	275	Benign cortical defect: site for an avulsion fracture	553
Angicgraphic response of osteosarcoma following pre-		Benign fibrous histiocytoma, gigantic, (nonossifying fi-	
operative chemotherapy	96	broma) (case report)	251
Angiolipoma, infiltrating, with phlebolith formation	464	Biomechanical-radiographic correlation: coralline hydro-	
(Angiolipoma) intraosseous lipoma of right third rib (case		xyapatite bone graft substitutes in a canine metaphy-	
report)	401	seal defect model	
Ankle, high-resolution magnetic resonance imaging of		Blastic type – multiple myeloma (case report)	160
the: normal anatomy	536	Blood flow, absolute bone, measurement of, by positron	
Ankle joint in chronic instability, arthrography of the	291	emission tomography	198
Annulus fibrosus calcification in the cervical spine: radio-		Bone blood flow, absolute, measurement of, by positron	
logic-pathologic correlation	605	emission tomography	198
Annulus vacuum sign	233	Bone cortical mass in newborn infants: a comparison be-	
Apophyseal joints and vertebral bodies of the cervical		tween standards in the femur and humerus	-
spine, multiple findings of renal osteodystrophy reflec-		Bone cyst, simple (traumatized) (case report)	405
ted in the (Open-quiz solution, case report)		Bone graft, coralline hydroxyapatite, substitutes in a ca-	
Artery, anterior tibial, traumatic pseudoaneurysm of the,		nine diaphyseal defect model: radiographic features of	
simulating soft tissue malignancy	622	failed and successful union	642

Bone graft, coralline hydroxyapatite, substitutes in a ca- nine metaphyseal defect model: radiographic-biome- chanical correlation	635	Cervical spine, multiple findings of renal osteodystrophy reflected in the vertebral bodies and apophyseal joints of the (Open-quiz solution, case report)	308
Bone, magnetic resonance imaging of primary tumours and tumour-like lesions of	511	Cervical spine, the radiographic distinction of degenerative slippage (spondylolisthesis and retrolisthesis) from	
Bone, malignant fibrous histiocytoma (MFH) arising in	570	traumatic slippage of the	439
an infarct of (case report)	578 85	Cervical vertebral body, pseudofractures of the Chemotherapy, pre-operative, the angiographic response	295
Bone mineral mass and fracture prevalence in osteoporosis	0.5	of osteosarcoma following	96
measured with computed tomography and dual energy		Chest roentgenograms from birth to 16 years, linear	
photon absorptiometry	191	growth of the thoracic spine in	628
Bone, myxoid angioblastomatosis of (disseminated) (case		Children, computed tomography in the evaluation of par-	
report)	32	tial growth plate arrest in	530
Bone, nasal, hemangioma of the (case report)	327	Children, transient fatty cortical defects following fractu-	260
Bone scintigraphy in osteogenic sarcoma, the role of Bone, the development of post-traumatic cyst-like lesions	365	res in	368
in	631	(case report)	478
Bone tumors, computed tomography analysis of: patterns	001	Chondroblastoma, diametaphyseal, of the upper portion	170
of cortical destruction and soft tissue extension	448	of the left femur (case report)	387
Brachial plexus, intrascalene, transient paralysis of the left		Chondroma, extraskeletal, of the soft tissue of the wrist	
hemidiaphragm secondary to blocking anesthesia of		(case report)	575
the (case report)	503	Chondroma of soft tissues with dystrophic calcification	450
(Brain and thigh) alveolar soft parts sarcoma (Open-quiz	468	(case report)	179
solution, case report)	400	Chondrosarcoma, dedifferentiated: grade 4 fibrosarcoma arising in grade 1 chondrosarcoma (femur) (case re-	
ing the left femur (case report)	383	port)	77
Bursa of the pes anserinus muscle, pigmented villonodular		Chondrosarcoma, highly differentiated, recurrence with	
synovitis arising from, with secondary involvement of		secondary and malignant transformation to: enchon-	
the tibia (Open-quiz solution, case report)		droma of the tibia with extensive myxoid degeneration	
Buttock, computed tomography anatomy of the		(case report)	330
(Caffey disease ICH) infantile cortical hyperostosis of iliac		Chordoma of the fourth lumbar vertebra metastasizing	
bones, femora, tibiae and left fibula (Open-quiz solu- tion, case report)	377	to the thoracic spine and ribs (case report)	242 209
Calcaneus, benign chondroblastoma of talus invading		Chronic instability, arthrography of the ankle joint in	291
(case report)		Chronic recurrent multifocal osteomyelitis	32
(Calcaneus) hematogenous actinomyces osteomyelitis		Clavicle, inflammatory hyperostosis and sclerosis of the	
(case report)		Compression fractures, lateral, of the pelvis: the impor-	
Calcification, annulus fibrosus, in the cervical spine: ra-		tance of plain radiographs in the diagnosis and surgical	
diologic-pathologic correlation		management	
Calcification, dystrophic, chondroma of soft tissues with (case report)		Compression, paraparesis from cauda equina, due to disc	
Calcium pyrophosphate dihydrate crystal deposition, mas-		herniation of L4-L5, in a patient with ossification of the posterior longitudinal ligament (OPLL) at L4-L5	
sive, disorder (MCPDD) involving thumb (case report)		and C4-C5 (case report)	
Canine diaphyseal defect model, coralline hydroxyapatite		Computed tomographic, angiographic, and histologic stu-	
bone graft substitutes in a: radiographic features of		dies: vascularization of peripheral neurilemomas	
failed and successful union		Computed tomography analysis of bone tumors: patterns	
Canine metaphyseal defect model, coralline hydroxyapa-		of cortical destruction and soft tissue extension	
tite bone graft substitutes in a: radiographic-biome- chanical correlation		Computed tomography anatomy of the buttock Computed tomography and dual energy photon absorp-	
Carcinoid, bronchial, metastatic to bone, specifically in-		tiometry, fracture prevalence and bone mineral mass	
volving the left femur (case report)		in osteoporosis measured with	
Carpal pathology, occult: tomographic evaluation		Computed tomography and plain radiography in experi-	
Carpal tunnel syndrome, high resolution computed tomo-		mental fracture healing	
graphy of the wrist in patients with		Computed tomography and ultrasonography of the hemo-	
Carpal/tarsal osteolysis, idiopathic (ICTO), associated		philic pseudotumor and their use in surgical planning	
with nephropathy (case report)		Computed tomography, giant cell tumor of distal end of the femur, containing a fluid level as demonstrated	
seous		by (case report)	
Caterpillar, pinemoth, disease		Computed tomography, high-resolution, of the wrist in	
Cauda equina compression, paraparesis from, due to disc		patients with carpal tunnel syndrome	549
herniation of L4-L5, in a patient with ossification of		Computed tomography in spinal hemangioma with cord	1
the posterior longitudinal ligament (OPLL) at L4-L5		compression. Report of two cases	
and C4-C5 (case report)		Computed tomography in the evaluation of partial growth plate arrest in children	
lowing		Computed tomography of partial growth plate arrest: ini-	
Cervical spine, annulus fibrous calcification of the: radio		tial experience	. 526
logic-pathologic correlation		Computed tomography, osseous sequela of tuberculous	

spondylitis as demonstrated by (case report)	589	the posterior longitudinal ligament (OPLL) at L4-L5	
Congenital absence and hypoplasia of pedicles in the tho-	007	and C4-C5 (case report)	488
racic spine	219	Dislocation, atlanto-axial, tuberculous spondylitis result-	
Coralline hydroxyapatite bone graft substitutes in a canine		ing in (case report)	65
diaphyseal defect model: radiographic features of fai-		Dislocation, idiopathic, anterolateral, of the fibula at the	
led and successful union	642	proximal tibiofibular joint (case report)	505
Coralline hydroxyapatite bone graft substitutes in a canine		Dislocation of the hamate-triquetrum and fracture of the	
metaphyseal defect model: radiographic-biomechani-		hamate in its coronal plane (case report)	593
cal correlation	635	(Disseminated) myxoid angioblastomatosis of bone (case	202
Cord compression, computed tomography in spinal hem-	272		323
angioma with. Report of two cases	372	Disseminated osteolysis and osteomyelosclerosis, megaka-	677
Cortical defect, benign: site for an avulsion fracture	553	ryocytic myelosis with (case report)	672
Cortical defects, transient fatty, following fractures in chil-	368	Disuse osteoporosis: mimic of neoplastic disease Drug addicts, chronic, osteomyelitis and periostitis of	129 209
dren	300	Dysplasia epiphysealis hemimelica, the role of arthrogra-	207
computed tomography analysis of bone tumors	448	phy in the management of	224
Cortical hyperostosis, infantile (Caffey disease ICH) of	110	Dysplasia, fibrous (polyostotic) (case report)	72
iliac bones, femora, tibiae and left fibula (Open-quiz		Dysplasia, macroepiphyseal, with symptomatic osteopo-	
solution, case report)	377	rosis, wrinkled skin, and aged appearance: a presumed	
Cortical mass, bone, in newborn infants: a comparison		autosomal recessive condition	47
between standards in the femur and humerus	648	Dysplasia, mixed sclerosing bone, coexisting with dyspla-	
Costoclavicular joint, the	25	sia epiphysealis hemimelica (Trevor-Fairbank disease)	452
Crystal deposition, massive calcium pyrophosphate dihy-		Dysplasia, thanatophoric (case report)	495
drate, disorder (MCPDD) involving thumb (case re-		Dystrophic calcification, chondroma of soft tissues with	
port)	313	(case report)	179
Cyst, simple bone (traumatized) (case report)	405	Elbow, "leukemic arthritis" of (leukemic infiltration and	
Cyst-like post-traumatic lesions in bone, the development		infarction distal end of humerus (case report)	154
of	631	Enchondroma of the tibia with extensive myxoid degene-	
Cysts, unicameral bone, epiphyseal involvement in	428	ration: recurrence with secondary and malignant	
C1-C2 interrelationships. Radiology of postnatal skeletal	422	transformation to highly differentiated chondrosar-	220
development	433	coma (case report)	330
arising in grade 1 chondrosarcoma (femur) (case re-		porosis	350
port)	77	Eosinophilic granuloma of the right iliac wing (case report)	57
Degeneration, extensive myxoid, enchondroma of the tibia		Epiphyseal involvement in unicameral bone cysts	428
with: recurrence with secondary and malignant trans-		Epiphyseal plate, partially fused, radiographic appearan-	120
formation to highly differentiated chondrosarcoma		ces following surgical correction of the	146
(case report)	330	Epiphysealis hemimelica, dysplasia, the role of arthrogra-	
Degenerative slippage, the radiographic distinction of		phy in the management of	224
(spondylolisthesis and retrolisthesis) from traumatic		Epiphysealis hemimelica, dysplasia (Trevor-Fairbank di-	
slippage of the cervical spine	439	sease), mixed sclerosing bone dysplasia coexisting with	452
Delayed closure of the right olecranon epiphysis in a right-		Epiphyses, dense, and ivory of the hand: Thiemann dis-	
handed tournament-class tennis player (post-trauma-		ease in three sisters	117
tic) (case report)	185	Epiphysis, right olecranon, delayed closure of the, in a	
Dermatome, sensory, and thermography	40	right-handed, tournament-class tennis player (case re-	105
Desmoid tumor of the greater wing of the right sphenoid	0.15	port)	
bone (case report)	247	Erdheim-Chester disease (case report)	316
Desmoplastic fibroma of the mandible (Open-quiz solu-	560	Erythematosus, systemic lupus, periosteal reaction in	
tion, case report)	560	Ewing tumor, multifocal, of the skeletal system (case re-	
Detection of osteopenia, observer variation in the Development of post-traumatic cyst-like lesions in bone	347	Experimental fracture healing, computed tomography and	
Development, radiology of postnatal skeletal. XIII. C1–	031	plain radiography in	
C2 interrelationships	433	Extra-mammary Paget disease of the skin with disseminat-	
Diagnosis and surgical management, the importance of		ed skeletal metastases (case report)	
plain radiographs in the: lateral compression fractures		Extraskeletal chondroma of the soft tissue of the wrist	
of the pelvis		(case report)	
Dialysis, chronic ambulatory peritoneal, using MOP-3		Fatty cortical defects, transient, following fractures in chil-	
image analysis system and a grading method, compari-		dren	
son of normal subjects and renal failure patients on:		Feet and hands, giant cell reparative granuloma and other	
periosteal resorption and periosteal neostosis	14	giant cell lesions of the bones of the	415
Diametaphyseal chondroblastoma of the upper portion		Femora, tibiae, left fibula, and iliac bones, infantile corti-	
of the left femur (case report)		cal hyperostosis (Caffey disease ICH) of (Open-quiz	
Diaphyseal defect model, canine, coralline hydroxyapatite		solution, case report)	377
bone graft substitutes in a: radiographic features of		Femoral head, aseptic necrosis of, complicating thalas-	
failed and successful union	642	semia	
Disc herniation of L4-L5, paraparesis from cauda equina		Femoral head, magnetic resonance imaging of vascular	
compression due to, in a patient with ossification of		necrosis of the	133

Femoral shaft, osteonecrosis of the (probably steroid-in-		Ganglion, sympathetic, neurofibroma arising in, with pro-	
duced) (case report)	170	bable associated spinal neuroarthropathy (case report)	60
Femur and humerus, a comparison between standards in the: bone cortical mass in newborn infants	648	Gaucher disease affecting the skeleton (left femur) (case report)	499
(Femur), dedifferentiated chondrosarcoma: grade 4 fibrosarcoma arising in grade 1 chondrosarcoma (case re-	040	Giant cell reparative granuloma and other giant cell le-	415
port)	77	Giant cell tumor of distal end of the femur, containing a fluid level as demonstrated by computed tomography	
a fluid level as demonstrated by computed tomography		(case report)	175
(case report)	175	Gigantic benign fibrous histiocytoma (nonossifying fi-	054
Femur, left diametaphyseal chondroblastoma of the upper portion of the (case report)	387	broma) (case report)	251
(Femur, left) Gaucher disease affecting the skeleton (case report)	499	nine diaphyseal defect model: radiographic features of failed and successful union	642
Femur, left, specifically involving the, bronchial carcinoid	477	Graft, coralline hydroxyapatite bone, substitutes in a ca-	642
metastatic to bone (case report)	383	nine metaphyseal defect model: radiographic-biome-	
Femur, postradiation necrosis of, with no evidence of tu-		chanical correlation	635
mor (case report)	566	Granuloma, eosinophilic, of the right iliac wing (case re-	
Femur, right, primary fibrosarcoma of the (case report)	268 ·	port)	57
Fibroma, desmoplastic, of the mandible (<i>Open-quiz solution, case report</i>)	560	sions of the bones of the hands and feet	415
(Fibroma, nonossifying) gigantic benign fibrous histiocy-	500	Growth, linear, of the thoracic spine in chest roentgeno-	***
	251	grams from birth to 16 years	628
Fibrosarcoma, grade 4, arising in grade 1 chondrosar-		Growth plate arrest in children, computed tomography	
coma (femur): dedifferentiated chondrosarcoma (case		in the evaluation of	530
report)	77	Growth plate arrest, partial, computed tomography of	526
Fibrogarcoma of the jaws	10	Hamate, fracture of the, in its coronal plane and disloca-	502
Fibrosarcoma, primary, of the right femur (case report) Fibrosus calcification, annulus, in the cervical spine: ra-	268	tion of the hamate-triquetrum (case report) Hamate-triquetrum dislocation of the, and fracture of the	593
diologic-pathologic correlation	605	hamate in its coronal plane (case report)	593
Fibrous dysplasia (polyostotic) (case report)	72	Hand, ivory and dense epiphyses of the: Thiemann disease	
Fibrous histiocytoma, gigantic benign (nonossifying fi-		in three sisters	117
broma) (case report)	251	Hands and feet, giant cell reparative granuloma and other	
Fibrous histiocytoma, malignant, arising in an infarct of		giant cell lesions of the bones of the	415
bone (case report)	578	Healing, experimental fracture, computed tomography	27
Fibula, idiopathic, anterolateral dislocation of the, at the proximal tibiofibular joint (case report)	505	and plain radiography in	327
Fibula, left, iliac bones, femora, and tibiae, infantile corti-	303	Hemangioma, spinal, with cord compression, computed	
cal hyperostosis (Caffey disease ICH) (Open-quiz solu-		tomography in. Report of two cases	372
tion, case report)	377	Hemangiomas, symptomatic vertebral: a report of four	
"Fingerprints" of vertebral trauma - a unifying concept		cases	
based on mechanisms	518	Hematogenous actinomyces osteomyelitis (calcaneus)	
Flow, absolute bone blood, measurement of by positron	198	(case report) Hemidiaphragm, left, transient paralysis of the, secondary	
emission tomography	170	to blocking anesthesia of the intrascalene brachial ple-	
porosis	350	xus (case report)	
Foot, left hind, os accessorium supracalcaneum of the		Hemimelica, dysplasia epiphysealis, the role of arthrogra-	
(also present, but to a lesser extent, on the right) (Open-		phy in the management of	
quiz solution, case report)		Hemimelica, dysplasia epiphysealis (Trevor-Fairbank di-	
Fracture, avulsion, site for an: benign cortical defect		sease), mixed sclerasing bone dysplasia coexisting with Hemophilic pseudotumor, computed tomography and ul-	
Fracture healing, experimental, computed tomography and plain radiography in	27	trasonography of the, and their use in surgical plan-	
Fracture of the hamate in its coronal plane and dislocation		ning	
of the hamate-triquetrum (case report)		Herniation, disc, of L4-L5, paraparesis from cauda	
Fracture prevalence and bone mineral mass in osteoporo-		equina compression due to, in a patient with ossifica-	
sis measured with computed tomography and dual		tion of the posterior longitudinal ligament (OPLL) at	
energy photon absorptiometry		L4-L5 and C4-C5 (case report)	
Fractures in children, transient fatty cortical defects fol- lowing		High-resolution computed tomography of the wrist in pa- tients with carpal tunnel syndrome	
Fractures, lateral compression, of the pelvis: the impor-		High-resolution magnetic resonance imaging of the ankle:	
tance of plain radiographs in the diagnosis and surgical		normal anatomy	536
management	103	Histiocytoma, gigantic benign fibrous (nonossifying fi-	
Fractures, proximal humeral, pseudarthrosis following: a		broma) (case report)	251
possible mechanism		Histiocytoma, malignant fibrous (MFH) arising in an infarct of bone (case report)	
Fusion, unilateral, of odontoid to lateral mass of C1 with		Histologic, angiographic, and computed tomographic stu-	
pseudoarthritis on left (case report)		dies: vascularization of peripheral neurilemomas	

Horned crests: Pseudo-Fong syndrome (case report) Humeral fractures, proximal, pseudarthrosis following: a possible mechanism	492	Joint, the costoclavicular	25
Humerus and femur, a comparison between standards in the: bone cortical mass in newborn infants	648	management Leiomyosarcoma, primary (LMS) of the mandible (case	103
(Humerus, distal end of, leukemic infiltration and infarc-	040	report)	570
tion) "leukemic arthritis" of elbow (case report)	154	Lesions in bone, the development of post-traumatic cyst-	
Hydroxyapatite, coralline, bone graft substitutes in a ca- nine diaphyseal defect model: radiographic features of		like "Leukemic arthritis" of elbow (leukemic infiltration and	631
failed and successful union	642	infarction distal end of humerus) (case report) Ligament, posterior longitudinal, (OPLL) at L4-L5 and	154
nine metaphyseal defect model: radiographic-biome-		C4-C5, in a patient with ossification of the, parapare-	
chanical correlation	635	sis from cauda equina compression due to disc hernia-	
Hyperostosis, infantile cortical (Caffey disease ICH) of iliac bones, femora, tibiae and left fibula (<i>Open-quiz</i>		tion at L4-L5 (case report)	488
solution, case report)	377	Lipodystrophy, membranous (MLD) (case report) Lipoma, intraosseous (angiolipoma) of right third rib	4/4
Hyperostosis, inflammatory, and sclerosis of the clavicle		(case report)	401
Hyperparathyroidism, bone mineral changes in primary	85	Lumbar posterior marginal intra-osseous cartilaginous	
(Hypertrophic osteoarthropathy, primary) pachydermo-	(50	node	201
periostosis (case report)	658	Lumbar vertebra, chordoma of the fourth, metastasizing to the thoracic spine and ribs (case report)	242
report)	52	Lumbar vertebra, third, aggressive osteoblastoma of the	272
Hypoplasia and congenital absence of pedicles in the tho-		(case report)	164
racic spine	219	Lupus erythematosus, systemic, periosteal reaction in	610
Idiopathic carpal/tarsal osteolysis (ICTO), associated with	665	Macroepiphyseal dysplasia with symptomatic osteoporo-	
nephropathy (case report)	665	sis, wrinkled skin, and aged appearance: a presumed autosomal recessive condition	47
report)	52	Magnetic resonance imaging, high resolution, of the an-	
Idiopathic osteonecrosis of the first metatarsal sesamoid	141	kle: normal anatomy	536
Idiopathic, anterolateral dislocation of the fibula at the	505	Magnetic resonance imaging in acute tendon ruptures	619
proximal tibiofibular joint (case report)	505	Magnetic resonance imaging of avascular necrosis of the fermoral head	133
hyperostosis (Caffey disease ICH) of (Open-quiz solu-		Magnetic resonance imaging of lesions of synovial origin	110
tion, case report)	377	Magnetic resonance imaging of primary tumours and tu-	
Iliac wing, right, eosinophilic granuloma of the (case re-		mour-like lesions of bone	
port)	57	Magnification radiography in osteomyelitis	625
Imaging, magnetic resonance, of avascular necrosis of the	019	Malignancy, soft tissue, traumatic pseudoaneurysm of the anterior tibial artery simulating	622
femoral head	133	Malignant and secondary transformation to highly diffe-	
Imaging, magnetic resonance, of lesions of synovial origin	110	rentiated chondrosarcoma, recurrence with: enchon-	
Infantile cortical hyperostosis (Caffey disease ICH) of iliac bones, femora, tibiae and left fibula (<i>Open-quiz solu-</i>		droma of the tibia with extensive myxoid degeneration	220
tion, case report)	377	(case report)	330
Infants, newborn, bone cortical mass in: a comparison		farct of bone (case report)	578
between standards in the femur and humerus	648	Mammary (extra) Paget disease of the skin with dissemi-	
Infarct of bone, malignant fibrous histiocytoma (MFH)	570	nated skeletal metastases (case report)	680
arising in an (case report)	578	Mandible, desmoplastic fibroma of the (Open-quiz solu- tion, case report)	560
rus) "leukemic arthritis" of elbow (case report)	154	Mandible, primary leiomyosarcoma (LMS) of the (case	300
Infiltrating angiolipoma with phlebolith formation	464	report)	570
Inflammatory hyperostosis and sclerosis of the clavicle	284	Massive calcium pyrophosphate dihydrate crystal deposi-	242
Instability, chronic, arthrography of the ankle joint in Intoxication, radium, with radium-induced osteonecrosis	291	tion disorder (MCPDD) involving thumb (case report) Mastocytosis, systemic (case report)	313
(case report)	258	Measurement of absolute bone blood flow by positron	334
Intramedullary osteosarcoma, low-grade (well-differentia-		emission tomography	198
ted) (case report)	338	Mechanism, a possible: pseudarthrosis following proximal	24
Intra-osseous cartilaginous node, lumbar posterior margi- nal	201	humeral fractures	21
Intraosseous lipoma (angiolipoma) of right third rib (case		osteomyelosclerosis (case report)	672
report)	401	Membranous lipodystrophy (MLD) (case report)	
Intrascalene brachial plexus, transient paralysis of the left		Metaphyseal defect model, canine, coralline hydroxyapa-	
hemidiaphragm secondary to blocking anesthesia of the (case report)		tite bone graft substitutes in a: radiographic-biome-	
Intravertebral vacuum phenomenon		chanical correlation	
Ivory and dense epiphyses of the hand: Thiemann disease		disease of the skin with (case report)	
in three sisters	117	Metastases, radionuclide evaluation of skeletal: practical	
Jaw, fibrosarcoma of the	10	considerations	1

Metastasizing to the thoracic spine and ribs, chordoma		solution, case report)	150
of the fourth lumbar vertebra (case report)	242	Os sustentaculi, assimilated	455
Metastatic and pseudomalignant osteoblastoma: a report		Osseous sequela of tuberculous spondylitis as demonstra-	
of two unusual cases	213	ted by computed tomography (case report)	589
Metastatic to bone, bronchial carcinoid, specifically in-		Ossification of the posterior longitudinal ligament (OPLL)	
volving the left femur (case report)	383	at L4-L5 and C4-C5, in a patient with paraparesis	
Metatarsal sesamoid, first, idiopathic osteonecrosis of the	141	from cauda equina compression due to disc herniation	
Mineral changes, bone, in primary hyperparathyroidism	85	at L4-L5 (case report)	488
Mineral mass, bone, and fracture prevalence in osteoporo-		(Osteoarthropathy, primary hypertrophic) pachydermo-	
sis measured with computed tomography and dual		periostosis (case report)	658
energy photon absorptiometry	191	Osteoblastoma, aggressive, of the third lumbar vertebra	000
Multicentric reticulohistiocytosis (case report)	394	(case report)	164
Multifocal Ewing tumor of the skeletal system (case re-	57.	Osteoblastoma and osteoid osteoma of the talus. A report	104
port)	254	of 40 cases	360
Multifocal osteomyelitis, chronic recurrent	32	Osteoblastoma, metastatic and pseudomalignant: a report	500
Multiple myeloma (case report)	484	of two unusual cases	213
Multiple myeloma, skeletal surveys in Radiologic-clinical	101	Osteodystrophy, renal, reflected in the vertebral bodies	413
correlation	354		
Multiple myeloma – blastic type (case report)	160	and apophyseal joints of the cervical spine, multiple	200
	398	findings of (Open-quiz solution, case report)	308
Muscle, soleus, accessory (anomalous) (case report)		Osteogenic sarcoma, the role of bone scintigraphy in	365
Myeloma multiple (case report)	484	Osteoid osteoma and osteoblastoma of the talus. A report	2/0
Myeloma, multiple, skeletal surveys in. Radiologic-clinical	254	of 40 cases	360
correlation	354	Osteolysis and osteomyelosclerosis, disseminated, mega-	170
Myeloma, multiple – blastic type (case report)	160	karyocytic myelosis with (case report)	672
Myelosis, megakaryocytic, with disseminated osteolysis	(70	Osteolysis, idiopathic carpal/tarsal (ICTO), associated	
and osteomyelosclerosis (case report)	672	with nephropathy (case report)	665
Myxoid angioblastomatosis of bone (disseminated) (case	222	Osteoma, osteoid, and osteoblastoma of the talus. A re-	010
report)	323	port of 40 cases	360
Myxoid degeneration, extensive, enchondroma of the tibia		"Osteoma, ulcer" associated with sickle cell disease (case	
with: recurrence with secondary and malignant trans-		report)	
formation to highly differentiated chondrosarcoma		Osteomyelitis and periostitis in chronic drug addicts	209
(case report)		Osteomyelitis, chronic recurrent multifocal	32
Nasal bone, hemangioma of the (case report)	327	Osteomyelitis, hematogenous actinomyces (calcaneus)	
Necrosis, aseptic, of femoral head complicating thalas-	4.11	(case report)	
semia	541	Osteomyelitis, magnification radiography in	
Necrosis, avascular, of the femoral head, magnetic reso-		Osteomyelosclerosis and osteolysis, disseminated, mega-	
nance imaging of	133	karyocytic myelosis with (case report)	672
Necrosis, postradiation, of bone (femur) with no evidence		Osteonecrosis, idiopathic, of the first metatarsal sesamoid	141
of tumor (case report)	566	Osteonecrosis of the femoral shaft (probably steroid-indu-	
Neoplastic disease, mimic of: disuse osteoporosis	129	ced) (case report)	170
Neostosis, periosteal, and periosteal resorption: Compari-		Osteonecrosis, radium intoxication with radium-induced	
son of normal subjects and renal failure patients on		(case report)	258
chronic ambulatory peritoneal dialysis using MOP-3		Osteopenia, observer variation in the detection of	347
image analysis system and a grading method	14	Osteoporosis, disuse: mimic of neoplastic disease	129
Nephropathy, idiopathic carpal/tarsal osteolysis (ICTO),		Osteoporosis, fracture prevalence and bone mineral mass	
associated with (case report)	665	in, measured with computed tomography and dual	
Neurilemomas, per pheral, vascularization of: angiogra-		energy photon absorptiometry	191
phic, computed tomographic, and histologic studies	275	Osteoporosis, symptomatic, wrinkled skin, and aged ap-	
Neuroarthropathy, spinal, neurofibroma arising in sympa-		pearance, macroepiphyseal dysplasia with: A presu-	
thetic ganglion with probable associated (case report)	60	med autosomal recessive condition	47
Neurofibroma arising in sympathetic ganglion with		Osteoporosis - an early radiographic sign of endemic fluo-	
probable associated spinal neuroarthropathy (pre-		rosis	350
sumptive diagnosis) (case report)	60	Osteosarcoma following pre-operative chemotherapy, the	
Node, lumbar posterior marginal intra-osseous cartilagi-		angiographic response of	
nous	201	Osteosarcoma, low-grade (well-differentiated) intramedul-	
Non-infectious progressive anterior vertebral fusion		lary (case report)	338
Normal anatomy: high resolution magnetic resonance		Pachydermoperiostosis (primary hypertrophic osteoarth-	
imaging of the ankle	536	ropathy) (case report)	
Observer variation in the detection of osteopenia		Paget disease, extramammary, of the skin with dissemina-	
Occult carpal pathology: tomographic evaluation		ted skeletal metastases (case report)	680
Odontoid, unilateral fusion of, to lateral mass of C1 with		Paralysis, transient, of the left hemidiaphragm secondary	
pseudbarthrosis on left (case report)		to blocking anesthesia of the intrascalene brachial	
Olecranon epiphysis, right, delayed closure of the, in a		plexus (case report)	
right-handed tournament-class tennis player (post-		Paraparesis from cauda equina compression due to disc	
traumatic) (case report)		herniation of L4-L5, in a patient with ossification of	
Os accessorium supracalcaneum of the left hind foot (also		the posterior longitudinal ligament (OPLL) at L4–L5	
present, but to a lesser extent, on the right) (Open-quiz		and C4-C5 (case report)	

Pathology, occult carpal: tomographic evaluation Pedicles in the thoracic spine, congenital absence and hy-	228	Radiographic features of failed and successful union: co- ralline hydroxyapatite bone graft substitutes in a ca-	
poplasia	219	nine diaphyseal defect model	642
Pelvis, lateral compression fractures of the: The impor- tance of plain radiographs in the diagnosis and surgical		Radiographic sign, an early, of endemic fluorosis – osteo- porosis	350
management	103	Radiographic-biomechanical correlation: coralline hydro-	
Periosteal reaction in systemic lupus erythematosus		xyapatite bone graft substitutes in a canine metaphy-	
Periosteal resorption and periosteal neostosis: Compari-			635
son of normal subjects and renal failure patients on		Radiographs, plain, in the diagnosis and surgical manage-	
chronic ambulatory peritoneal dialysis using MOP-3		ment, the importance of: lateral compression fractures	
image analysis system and a grading method	14		103
Periostitis and osteomyelitis in chronic drug addicts	209	Radiography, magnification, in osteomyelitis	625
Peritoneal dialysis, chronic ambulatory, using MOP-3		Radiography, plain, and computed tomography in experi-	
image analysis system and a grading method, compari-		mental fracture healing	27
son of normal subjects and renal failure patients: Pe-		Radiologic-clinical correlation. Skeletal surveys in multi-	
riosteal resorption and periosteal neostosis	14		354
Pes anserinus muscle, pigmented villonodular synovitis		Radiologic-pathologic correlation: annulus fibrous calcifi-	
arising from bursa of the, with secondary involvement		cation in the cervical spine	605
of the tibia (Open-quiz solution, case report)	236	Radiology of postnatal skeletal development. XIII. C1-	
Phlebolith formation, infiltrating angiolipoma with	464	C2 interrelationships	433
Photon absorptiometry, dual energy, and computed tomo-		Radionuclide evaluation of skeletal metastases: Practical	
graphy, fracture prevalence and bone mineral mass in		considerations	1
osteoporosis measured with	191	Radium intoxication with radium-induced osteonecrosis	
Pigmented villonodular synovitis arising from bursa of		(case report)	258
the pes anserinus muscle, with secondary involvement		Recessive condition, a presumed autosomal: Macroepi-	
of the tibia (Open-quiz solution, case report)	236	physeal dysplasia with symptomatic osteoporosis,	
Pinemoth caterpillar disease	422	wrinkled skin, and aged appearance	47
(Polyostotic) fibrous dysplasia (case report)	72	Recurrence with secondary and malignant transformation	
Positron emission tomography, measurement of absolute		to highly differentiated chondrosarcoma: enchon-	
bone blood flow by	198	droma of the tibia with extensive myxoid degeneration	
Postnatal skeletal development, radiology of. XIII. C1-		(case report)	330
C2 interrelationships	433	Recurrent multifocal osteomyelitis, chronic	32
Postradiation necrosis of bone (femur) with no evidence		Renal failure patients and normal subjects on chronic am-	
of tumor (case report)	566	bulatory peritoneal dialysis using MOP-3 image analy-	
Post-traumatic cyst-like lesions in bone, the development		sis system and a grading method comparison of: perio-	
of	631	steal resorption and periosteal neostosis	14
Post-traumatic pseudoaneurysm of axillary artery (case		Renal osteodystrophy reflected in the vertebral bodies and	
report)		apophyseal joints of the cervical spine, multiple find-	000
Primary fibrosarcoma of the right femur (case report)	268	ings of (Open-quiz solution, case report)	308
Primary leiomyosarcoma (LMS) of the mandible (case re-	570	Reparative granuloma, giant cell, and other giant cell le-	44.5
port)	570	sions of the bones of the hands and feet	415
Progressive non-infectious anterior vertebral fusion	599	Resorption, periosteal, and periosteal neostosis: compari-	
Proximal humeral fractures, pseudarthrosis following: a	21	son of normal subjects and renal failure patients on chronic ambulatory peritoneal dialysis using MOP-3	
possible mechanism	21	image analysis system and a grading method	14
possible mechanism	21	Reticulohistiocytosis, multicentric (case report)	394
Pseudoaneurysm, post-traumatic, of axillary artery (case	21	(Retrolisthesis and spondylolisthesis) the radiographic di-	374
report)	391	stinction of degenerative slippage from traumatic slip-	
Pseudoaneurysm, traumatic, of the anterior tibial artery	578	page of the cervical spine	439
simulating soft tissue malignancy	622	Rib, right third, intraosseous lipoma (angiolipoma) of	,,,
Pseudoarthritis on left, unilateral fusion of odontoid mass		(case report)	401
of C1 with (case report)	663	Ribs and thoracic spine, chordoma of the fourth lumbar	
Pseudo-Fong syndrome: "horned crests" (case report)	492	vertebra metastasizing to the (case report)	242
Pseudofractures of the cervical vertebral body		Roentgenograms, chest, from birth to 16 years, linear	
Pseudomalignant and metastatic osteoblastoma: a report		growth of the thoracic spine in	628
of two unusual cases	213	Roentgenographic findings following anterior cervical fu-	
Pseudotumor, hemophilic, computed tomography and ul-		sion	556
trasonography of the, and their use in surgical plan-		Ruptures, acute tendon, magnetic resonance imaging in	619
ning	123	Sarcoma, alveolar soft parts (brain and thigh) (Open-quiz	
Pseudotumor, tuberculous, of the proximal end of the		solution, case report)	468
right tibia without obvious synovial involvement		Sarcoma, osteogenic, the role of bone scintigraphy in	365
(Open-quiz solution, case report)	652	Schwannoma of wrist (case report)	69
Radiographic appearances following surgical correction		Scintigraphy, bone, in osteogenic sarcoma, the role of	365
of the partially fused epiphyseal plate	146	Sclerosing bone dysplasia, mixed, coexisting with dyspla-	
Radiographic distinction of degenerative slippage (spon-		sia epiphysealis hemimelica (Trevor-Fairbank disease)	
dylolisthesis and retrolisthesis) from traumatic slip-		Sclerosis and inflammatory hyperostosis of the clavicle	284
page of the cervical spine	439	Sensory dermatome and thermography	4(

Sesamoid, first metatarsal, idiopathic osteonecrosis of the	141	radiographic appearances following	146
Sickle cell disease, "ulcer osteoma" associated with (case	409	Surgical management and diagnosis, the importance of plain radiographs in the: Lateral compression fractu-	
report)	405	res of the pelvis	103
Sisters, three, Thiemann disease in: ivory and dense epi-	405	Surgical planning, computed tomography and ultrasono-	103
physes of the hand	117	graphy of the hemophilic pseudotumor and their use	
Skeletal development, radiology of postnatal. XIII. C1-		in	123
C2 interrelationships	433	Sympathetic ganglion, neurofibroma arising in, with prob-	
Skeletal metastases, disseminated, extra-mammary Paget		able associated spinal neuroarthropathy (presumptive	
disease of the skin with (case report)	680	diagnosis) (case report)	60
Skeletal metastases, radionuclide evaluation of: practical		Symptomatic vertebral hemangiomas: a report of four ca-	
considerations	1	ses	458
Skeletal quiz	299	Synovial involvement, without obvious, tuberculous pseu-	
Skeletal surveys in multiple myeloma. Radiologic-clinical	254	dotumor of the proximal end of the right tibia (Open-	663
correlation	334	quiz solution, case report)	652
port)	254	of	110
Skeleton, Gaucher disease affecting the (left femur) (case	207	Synovitis, pigmented villonodular, arising from bursa of	110
report)	499	the pes anserinus muscle, with secondary involvement	
Skin, extra-mammary Paget disease of the, with dissemi-		of the tibia (Open-quiz solution, case report)	236
nated skeletal metastases (case report)	680	Systemic lupus erythematosus, periosteal reaction in	610
Skin, wrinkled, aged appearance, and symptomatic osteo-		Systemic mastocytosis (case report)	334
porosis, macroepiphyseal dysplasia with: a presumed		Talus, benign chondroblastoma of, invading calcaneus	
autosomal recessive condition	47	(case report)	478
Slippage, degenerative, the radiographic distinction of		Talus, osteoid osteoma and osteoblastoma of the. A report	
(spondylolisthesis and retrolisthesis) from traumatic	120	of 40 cases	
slippage of the cervical spine	439	Tarsal/carpal osteolysis, idiopathic (ICTO), associated	
Soft tissue malignancy, traumatic pseudoaneurysm of the	622	with nephropathy (case report)	
anterior tibial artery simulating	622	Tendon ruptures, acute, magnetic resonance imaging in Tennis player, right-handed, tournament-class, delayed	
(case report)	575	closure of the right olecranon epiphysis in a (case re-	
Soft tissues, chondroma of, with dystrophic calcification	313	port)	
(case report)	179	Thalassemia, aseptic necrosis of femoral head complica-	
Soleus muscle, accessory (anomalous) (case report)	398	ting	
Sphenoid bone, right, desmoid tumor of the greater wing		Thanatophoric dysplasia (TD) (case report)	495
of the (case report)	247	Thermography: a reevaluation	545
Spinal hemangioma with cord compression, computed to-		Thermography and the sensory dermatome	40
mography in. Report of two cases	372	Thiemann disease in three sisters: ivory and dense epiphy-	
Spinal neuroarthropathy, neurofibroma arising in sympa-		ses of the hand	
thetic ganglion with probable associated (case report)	60	(Thigh and brain) alveolar soft parts sarcoma (Open-quiz	
Spine, cervical, annulus fibrosus calcification in the cervi-	(05	solution, case report)	
cal spine: radiologic-pathologic correlation Spine, cervical, multiple findings of renal osteodystrophy	605	Thoracic spine and ribs, chordoma of the fourth lumbar vertebra metastasizing to the (case report)	
reflected in the vertebral bodies and apophyseal joints		Thoracic spine, congenital absence and hypoplasia of pe-	
of the (Open-quiz solution, case report)	308	dicles in the	
Spine, cervical, the radiographic distinction of degenera-	200	Thoracic spine in chest roentgenograms from birth to	
tive slippage (spondylolisthesis and retrolisthesis) from		16 years, linear growth of the	
traumatic slippage of the	439	Thumb, massive calcium pyrophosphate dihydrate crystal	
Spine, thoracic, and ribs, chordoma of the fourth lumbar		deposition disorder (MCPDD) involving (case report)	313
vertebra metastasizing to the (case report)	242	Tibia, enchondroma of the, with extensive myxoid de-	
Spine, thoracic, congenital absence and hypoplasia of pe-		generation: recurrence with secondary and malignant	
dicles in the	219	transformation to highly differentiated chondrosar-	
Spine, thoracic, in chest roentgenograms from birth to	(20	coma (case report)	330
16 years, linear growth of the	628	Tibia, right, tuberculous pseudotumor of the proximal end of the, without obvious synovial involvement (<i>Open-</i>	
Spondylitis, tuberculous, osseous sequela of, as demonstrated by computed tomography (case report)	589	quiz solution, case report)	652
Spondylitis, tuberculous, resulting in atlanto-axial disloca-	307	Tibia, with secondary involvement of the, pigmented villo-	
tion (case report)	65	nodular synovitis arising from bursa of the pes anseri-	
(Spondylolisthesis and retrolisthesis) the radiographic di-		nus muscle (Open-quiz solution, case report)	
stinction of degenerative slippage from traumatic slip-		Tibiae, left fibula, iliac bones, and femora, infantile corti-	
page of the cervical spine	439	cal hyperostosis (Caffey disease ICH) of (Open-quiz	
(Steroid-induced, probably) osteonecrosis of the femoral		solution, case report)	377
shaft (case report)	170	Tibial artery, anterior, traumatic pseudoaneurysm of the,	
Supracalcaneum, os accessorium, of the left hind foot		simulating soft tissue malignancy	
(also present, but to a lesser extent, on the right) (Open-	4.50	Tibiofibular joint, proximal, idiopathic, anterolateral dis-	
quiz solution, case report)	150	location of the fibula at the (case report)	
Surgical correction of the partially fused epiphyseal plate,		Tomographic, computed, angiographic, and histologic	

studies: vascularization of peripheral neurilemomas	275	tion (case report)	65
Tomographic evaluation: occult carpal pathology	228	Tumor, desmoid, of the greater wing of the right sphenoid	2-1-
Tomography, computed, analysis of bone tumors: pat-		bone (case report)	247
terns of cortical destruction and soft tissue extension		Tumor, giant cell, of distal end of the femur, containing	
Tomography, computed, anatomy of the buttock	613	a fluid level as demonstrated by computed tomography	475
Tomography, computed, and dual energy photon absorp-		(case report)	175
tiometry, fracture prevalence and bone mineral mass	404	Tumor, multifocal Ewing, of the skeletal system (case re-	254
in osteoporosis measured with	191	port)	254
Tomography, computed, and plain radiography in experi-	07	Tumor, postradiation necrosis of bone (femur) with no	
mental fracture healing	27	evidence of (case report)	566
Tomography, computed, and ultrasonography of the he-		Tumors, bone, computed tomography analysis of: pat- terns of cortical destruction and soft tissue extension	449
mophilic pseudotumor and their use in surgical plan-	123		440
ning	143	Tumours, primary, and tumour-like lesions of bone, mag- netic resonance imaging of	511
of the femur, containing a fluid level as demonstrated		"Ulcer osteoma" associated with sickle cell disease (case	311
by (case report)	175	report)	409
Tomography, computed, in spinal hemangioma with cord	113	Ultrasonography and computed tomography of the hemo-	707
compression. Report of two cases	372	philic pseudotumor and their use in surgical planning	123
Tomography, computed, in the evaluation of partial	3160	Unicameral bone cysts, epiphyseal involvement in	428
growth plate arrest in children	530	Unilateral fusion of odontoid to lateral mass of C1 with	120
Tomography, computed, of partial growth plate arrest:	220	pseudoarthrosis on left (case report)	663
initial experience	526	Union, radiographic features of failed and successful: co-	00.
Tomography, computed, osseous sequela of tuberculous		ralline hydroxyapatite bone graft substitutes in a ca-	
spondylitis as demonstrated by (case report)	589	nine diaphyseal defect model	642
Tomography, high-resolution computed, of the wrist in		Vacuum phenomenon, intravertebral	444
patients with carpal tunnel syndrome	549	Vacuum sign, annulus	233
Tomography, positron emission, measurement of absolute		Vascularization of peripheral neurilemomas: angiogra-	
	198	phic, computed tomographic, and histologic studies	275
Transformation, secondary and malignant, to highly diffe-		Vertebra, fourth lumbar, chordoma of the, metastasizing	
rentiated chondrosarcoma, recurrence with: enchon-		to the thoracic spine and ribs (case report)	242
droma of the tibia with extensive myxoid degeneration		Vertebra, third lumbar, aggressive osteoblastoma of the	
(case report)	330	(case report)	164
Transient fatty cortical defects following fractures in chil-		Vertebral bodies and apophyseal joints of the cervical	
dren	368	spine, multiple findings of renal osteodystrophy re-	
Transient paralysis of the left hemidiaphragm secondary		flected in the (Open-quiz solution, case report)	308
to blocking anesthesia of the intrascalene brachial		Vertebral body, cervical, pseudofractures of the	295
plexus (case report)	503	Vertebral fusion, progressive non-infectious anterior	599
Trauma, vertebral, "fingerprints" of - a unifying concept		Vertebral hemangiomas, symptomatic: a report of four	
based on mechanisms	518	cases	458
Traumatic pseudoaneurysm of the anterior tibial artery		Vertebral trauma, "fingerprints" of - a unifying concept	
simulating soft tissue malignancy	622	based on mechanisms	518
(Traumatized) simple bone cyst (case report)	405	Villonodular synovitis, pigmented, arising from bursa of	
(Trevor-Fairbank disease) mixed sclerosing bone dysplasia		the pes anserinus muscle, with secondary involvement	
coexisting with dysplasia epiphysealis hemimelica	452	of the tibia (Open-quiz solution, case report)	236
Tuberculous pseudotumor of the proximal end of the right		Wrist, extraskeletal chondroma of the soft tissue of the	
tibia without obvious synovial involvement (Open-quiz	(50	(case report)	575
solution, case report)	652	Wrist, high-resolution computed tomography of the, in	
Tuberculous spondylitis, osseous sequela of, as demon-	590	patients with carpal tunnel syndrome	
strated by computed tomography (case report)	589	Wrist, schwannoma of (case report)	69
Tuberculous spondylitis resulting in atlanto-axial disloca-			

